

OILS & LUBRICANTS

HIGH-PERFORMANCE MARINE LUBRICANTS

All Mallory Hi-Performance Marine Lubricants are formulated to meet or exceed the latest engine manufacturers warranty specifications and industry standards. These are true “Marine” lubricants with special additive packages formulated for each specific application to provide superior protection for your equipment in the demanding marine environment. Mallory Marine Lubricants help insure a pleasurable boating experience!

Mallory Premium TC-W3 2-Cycle Engine Oil

Advances in 2 cycle engine technologies have made the oil you select to use in your outboard more important than ever to insure proper performance and life expectancy of your high tech outboard. Mallory Premium TCW-3 oil is formulated to exceed those expectations and requirements. No matter what technology your engine is using carburetor, EFI, DFI, Ficht, HPDI, and any other fuel delivery system you can rest assured this oil will not let you down.

- Exceeds OEM, NMMA, JASO, API & ISO specifications for advanced 2 cycle oils.
- Clean burning formula reduces ring sticking and deposit formation for improved performance such as easier starting, smoother idling, and extended engine life.
- Excellent performance in Oil Injection or pre-mix applications
- Blue color to easily identify oil presence in fuel
- Will not void engine manufacturers warranty

For use in all 2-cycle outboards

Replaces: Mercury, Johnson/Evinrude, Suzuki, Nissan/Tohatsu, Yamalube

Mallory #	Description
9-82300	Oil, TC-W3 Recertified – Pint, 16 fl.oz, 473 ml (24 per case)
9-82301	Oil, TC-W3 Recertified – Quart, 32 fl.oz, 946 ml (12 per case)
9-82302	Oil, TC-W3 Recertified – Gallon, 128 fl.oz, 3.78L (4 per case)
9-82303	Oil, TC-W3 Recertified – 2.5 Gallon, 9.46L (2 per case)
9-82305	Oil, TC-W3 Recertified – 55 Gallon, 208L Drum



FC-W 4 – STROKE MARINE LUBRICANTS — **WITH DOUBLE WARRANTY!**

Mallory Marine FC-W 4-Stroke Marine Lubricants are the highest quality petroleum engine lubricants available, and are formulated specifically for the severe demands of the marine environment.

Mallory Marine FC-W 4-Stroke Lubricants are blended utilizing advanced additive technology for anti-wear characteristics combined with the industry’s highest FC-W standards for anti-corrosion and thermal stability. Mallory Marine 4-Stroke Lubricants extend the life of marine engines by reducing friction, heat, and wear.

Mallory Marine is so confident in our ability to increase performance and extend engine life thru its anti-wear additives that when a case of Mallory Marine FC-W 4-Stroke Lubricant and an appropriate Mallory Marine Oil Filter is purchased and used exclusively with a new 4-cycle outboard, sterndrive or inboard engine, Mallory Marine will warrant against a lubricant failure for Double the engine manufacturers warranty period on critical internal engine parts to a maximum of six years. Not only is your engine protected from wear, but you are protected from potential costly repairs caused from lubricant failure. See our FC-W Oil Warranty in the back of the catalog for complete details.

Mallory Marine High Performance FC-W SAE 4-Stroke Engine Oils

Formulated for Superior Performance and Corrosion Protection in 4-Stroke Outboards & Sterndrive Engines.

- Blended with premium quality base stocks and special additives that provide the ultimate in corrosion protection and reduced engine wear in the demanding marine environment.
- Our SAE 10W-40 viscosity has been formulated for today’s high tech 4-Stroke Outboards in all climates plus it is ideal for Sterndrives and Inboards in cooler climates
- Our SAE 20W-50 viscosity has been formulated specifically to protect Sterndrive & Inboard Engines in High Performance & Heavy Load applications.
- Use with Genuine Mallory Marine Oil Filters for maximum engine protection.

Meets or Exceeds all Engine Manufacturers Warranty Requirements and is NMMA FC-W Certified.

Mallory #	Description
9-82350	10W-40 Marine 4-Stroke Oil – Quart (12 per case)
9-82351	10W-40 Marine 4-Stroke Oil – Gallon (6 per case)*
9-82352	10W-40 Marine 4-Stroke Oil – 55 Gallon (drum)
9-82380 NEW!	25W40 Marine 4-Stroke Oil – Quart (12 per case)
9-82381 NEW!	25W40 Marine 4-Stroke Oil – Gallon (6 per case)
9-82382 NEW!	25W40 Marine 4-Stroke Oil – 5 Quart (4 per case)
9-82383 NEW!	25W-40 Marine 4-Stroke Oil – 55 Gallon (drum)
9-82375 NEW!	20W-50 Marine 4-Stroke Oil – Quart (12 per case)
9-82376	20W-50 Marine 4-Stroke Oil – Gallon (4 per case)
9-82377	20W-50 Marine 4-Stroke Oil – 55 Gallon (drum)

*Quantity change



OILS & LUBRICANTS

Mallory Premium Gear Lubricant

Special marine additive package provides superior lubricity and corrosion protection to protect gears and bearings under the demanding conditions of the extreme marine environment

- Exceeds all OEM specifications
- Excellent film strength protects gears and bearings in heavy load conditions
- Recommended for all outboards & stern drive gearcases requiring a marine GL -5 lubricant (except OMC/Johnson/Evinrude electric shift models, for these units use Mallory Marine "Type C" gear lubricant)
- Will not void engine manufacturers warranty!

Replaces: Mercury Premium Blend, Johnson/Evinrude Hi-Vis Lubricant, Honda, Suzuki, Nissan/Tohatsu, Yamaha -Yamalube LUB-GEARL-11-04

Available in these popular package sizes

Mallory #	Description
9-82401	Gear Lube, Premium Blend - Quart, 32 fl.oz / 946 ml (12 per case)
9-82402	Gear Lube, Premium Blend - 5 Gallons / 18.95L (1 Each)
9-82403	Gear Lube, Premium Blend - 16 Gallons / 60.5L (1 Each)
9-82404	Gear Lube, Premium Blend - 55 Gallons / 208L (1 Each)



Mallory High Performance Synthetic Blend Gear Lubricant

The perfect balance of synthetic and petroleum base stocks plus a special marine additive package delivers superior lubricity and corrosion protection in high performance and high load conditions, resist thermal breakdown better than petroleum based products

- Synthetic Blend delivers superior protection in high performance and heavy load applications and extends service life in normal applications.
- Superior lubricity, film strength, and resistance to thermal breakdown compared to petroleum based gear lubricants.
- Recommended for all outboards & stern drive gearcases requiring a marine GL -5 lubricant (except OMC/Johnson/Evinrude electric shift models, for these units use Mallory Marine "Type C" gear lubricant)
- Exceeds all OEM specifications
- Will not void engine manufacturers warranty!

Replaces: Mercury Hi-Performance Blend, Johnson/Evinrude Ultra-HPF Blend, Honda, Suzuki, Nissan/Tohatsu, Yamaha -Yamalube LUB-GEARL-11-00, Volvo Penta

Available in these popular package sizes

Mallory #	Description
9-82500	Gear Lube, Synthetic Blend Hi-Perf - 10oz tube (12 per case)
9-82501	Gear Lube, Synthetic Blend Hi-Perf - Quart, 32 fl.oz/946ml (12 per case)
9-82502	Gear Lube, Synthetic Blend Hi-Perf - 5 Gallons/18.95L (1 Each)
9-82503	Gear Lube, Synthetic Blend Hi-Perf - 16 Gallons/60.5L (1 Each)
9-82504	Gear Lube, Synthetic Blend Hi-Perf - 55 Gallons/208L (1 Each)



Mallory Premium Type "C" Gear Lubricant

Specially formulated for older model outboards & sterndrives with electric shift Provides excellent lubricity and corrosion protection to help extend the life and preserve your classic outboard or sterndrive

- Precise viscosity for proper operation and protection of critical electric shift components
- For use in Johnson/Evinrude Outboards & OMC sterndrives with electric shift

Replaces: Johnson/Evinrude/OMC Premium Blend Available in these popular package sizes

Mallory #	Description
9-82601	Gear Lube, Type C - Quart, 32 fl.oz / 946ml (12 per case)
9-82602	Gear Lube, Type C - 5 Gallons, 18.95L (1 Each)



OILS & LUBRICANTS

Marine Engine Fogging Oil

Make sure you protect your investment while it not in use. Mallory Marine fogging oil protects internal engine components from rust and corrosion while it's storage or out of use for extended periods.

- Forms a protective barrier on internal parts and cylinders to prevent the formation of rust and corrosion to extend your engines life.
- When applied while engine is running a smoky discharge is emitted so you can tell the fogging oil is reaching the necessary engine components
- For use in all 2 & 4 cycle engines during storage

Available in these popular package sizes

Mallory #	Description
9-82100	Fogging Oil, 12 oz, 340g aerosol can (12 Per Case)
9-82101	Oil, Fogging 1Gallon, 3.78L (6 Per Case)



9-82100

Fuel Stabilizer and Performance Additive

Stored fuel can deteriorate in 60 days causing varnish build up in the fuel system, hard starting, and poor performance. Mallory Marine Fuel Stabilizer keeps fuel fresh for easier starts and less maintenance.

- When used as an additive it can provide easier starting and reduces gum and varnish build up for improved performance
- Helps prevent carburetor from and fuel system from varnishing during storage or extended out of use periods
- Keeps Fuel Fresh for up to 1 year

Available in these popular package sizes

Mallory #	Description
9-82200	Fuel Stabilizer - 8 fl.oz / 237ml (24 per case) Treats up to 16 gallons
9-82201	Fuel Stabilizer - 32 fl.oz / 946ml (12 per case) Treats up to 64 gallons
9-82202	Fuel Stabilizer - Gallon, 3.78L (4 per case) Treats up to 256 gallons



9-82200

Power Trim & Tilt Fluid

Mallory Marine's Power Trim Fluid is formulated with special additives and anti-foaming agents to provide peak power trim pump performance and longevity. It is approved for all temperature use.

Mallory #	Description
9-82150	Power Tilt & Trim Fluid - 16oz bottle (12 per case)



9-82150

High Pressure Driveshaft Spline Grease

A high quality special purpose lubricant formulated to provide maximum protection in extreme high pressure applications. Special additives also provide exceptional corrosion and rust protection, outstanding heat resistance, and is highly water resistant.

Mallory #	Description
9-82700	Spline Grease - 14oz cartridge (10 per case)

9-82700

9-82750



Marine Bearing Grease

A high quality multi-purpose lubricant engineered to withstand extreme friction and provide added water resistance, ideal for most bearing, u-joints, gimbal bearing and much more. Low bleed formulation maintains lubricant where it's needed most, on the bearing surfaces.

Mallory #	Description
9-82750	Marine Bearing Grease - 14oz cartridge (10 per case)

OILS & LUBRICANTS

Grease Guns

Rugged design meets your toughest requirements and government spec. MIL-G-3859. Constructed of heavy duty steel and tough zinc plate finish.

Available in standard size for 14 oz grease cartridges and the "tool box" size for 3 oz grease cartridges.

Mallory #	Description
9-81000	Grease Gun, 3 oz.
9-81001	Grease Gun, 14 oz. (1 each)

Oil Pump Quart Bottle

Ideal for adding gear lube and other fluids to marine lower units and power trim reservoirs. Flexible hose for hard-to-reach fill plugs. Adapter included with pump fits Mercruiser, Mercury, OMC, Evinrude, Johnson, Volvo, Force, Sears Gamefisher, and Honda (70 hp and up) models.

Mallory #	Description
9-81002	Oil Pump Quart (12 per case)
9-81003	Adapter, 1 each. Fits: Yamaha, Honda, Nissan/Tohatsu
9-81004	Gear Lube Pump – 5 Gallon

Mallory Marine Oil Zap™

Highly Absorbent Disposable Pads

- Keeps Oil, Grease, Water, and other fluids contained
- Unique Polypropylene Backing prevents fluids from leaking through
- Under gear cases while changing gear lube
- Bilge of boat while changing engine oil & filter
- Workbench and shop floors
- Under carburetors while performing repairs
- Available in Retail Package of 3 pads per pack & Shop pack of 150 pads on a perforated roll for professional use



Mallory #	Description
9-81100	Oil Absorbent Pads / 3 per pack / 50 packs per case
9-81101	Oil Absorbent Pads / shop pack 150 pads

Mallory Marine Oil Zap II™

Highly Absorbent Disposable Pads

- Contains Oil, Grease, and other Petroleum based fluids contained
- Unique Polypropylene Backing prevents fluids from leaking through
- Will not absorb water in the bilge of boat while changing engine oil & filter
- Available in Retail Package of 1 pad per pack & a Shop Pack of 150 pads for professional use

Mallory #	Description
9-81102	Oil Zap II Absorbent Pads / 1 per pack / 50 packs per case
9-81103	Oil Zap II Absorbent Pads / shop pack 150pads



9-81100




9-81102



9-79802
Timing Light, Universal
Replaces: Mercury 91-99379



9-79803
Multi-Meter/DVA Tester
Universal
Replaces: Mercury 91-99750A1



9-79804
Compression Tester
Universal
Replaces: Mercury